

## Histo/Zyme (Ready to Use) Stabilized Enzyme in Buffered Solution

- Catalog No.:** K 046-50
- Intended Use:** This product is designed to unmask immunoreactive sites altered by fixation and/or the embedding process.
- Introduction:** The most commonly used tissue fixatives are aldehydes, such as formaldehyde, which work by protein cross-linking. Proper fixation of a specimen preserves and retains the antigen in the tissue and is a critical aspect of successful IHC staining. Cross-linking can mask antigens, preventing primary antibodies from binding thus yielding weak staining or false negative results. Treatment with proteolytic enzyme can digest excess aldehyde linkages and expose the antigen. Histo/Zyme is a proteolytic enzyme solution that results in superior staining over traditionally used enzyme pretreatments, such as pepsin and trypsin. Moreover, Histo/Zyme requires only a brief incubation at room temperature. Performing antigen recovery with Histo/Zyme, will allow you to dilute the primary antibody 5 to 10 fold further and achieve optimal staining.
- Product Benefits:**
1. Produces markedly improved staining compared to pepsin or trypsin pretreatment.
  2. Can be used in place of either pepsin or trypsin enzyme pretreatment. No more confusion as to which enzyme to use.
  3. Requires only 5 minutes of incubation at room temperature.
  4. Stable single solution.
  5. Unlike other enzymes, Histo/Zyme is gentle on tissue and does not destroy morphology.
- Format:** 50mL clear slightly viscous solution.
- Storage:** Store at 2-8°C. Do not use beyond the expiration date on the label.
- Digestion Procedure:**
1. Deparaffinize tissue sections and bring them to buffer.
  2. Remove excess buffer from slides without letting tissue dry.
  3. Depending on tissue section size, apply 1 or 2 drops of Histo/Zyme.
  4. Incubate slides for 5 minutes at room temperature.
  5. Wash slides with buffer and proceed with immunostaining.

### IVD: For In Vitro Diagnostic Use

DBS will not be held responsible for patent infringement or other violation that may occur with the use of our product

**DBS**

1020 Serpentine Lane, # 114, Pleasanton, CA 94566 Tel: 925 484 3350, Fax: 925 484 3390

Website: [www.dbiosys.com](http://www.dbiosys.com) e-mail: [customersupport@dbiosys.com](mailto:customersupport@dbiosys.com)